

## SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 44] NEW DELHI, SATURDAY, NOVEMBER 30, 1957/AGRAHAYANA 9, 1879

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd November, 1957

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Andhra Pradesh								Biher								Bombay															
Srikakulam	.	.	..	..	8	2	..	..	"N.R."																						
Visakhapatnam	.	..	..	..	1	..	..	..																							
West Godavari	.	..	..	..	2	..	..	..	Greater Bombay	.	..	..	16	3	.	..															
Krishna	.	.	..	..	18	1	..	..	Banas Kantha	.	..	..	3	4	..	..															
Guntur	.	.	..	..	51	5	..	..	Sorath	.	.	4	1	..	..	.	..														
Nellore	.	.	15	10	7	1	..	..	Kolhapur	.	.	10	5	..	.	..	..														
Kurnool	.	.	..	..	22	10	..	..	Poona	.	.	1	1	..	.	..	..														
Cuddapah	.	.	..	..	14	4	..	.	North Satara	.	5	1	5	..	.	..	..														
Anantpur	.	.	..	..	1	..	..	..	Ratnagiri	.	.	..	..	1	..	.	..														
Chittoor	.	.	..	..	1	..	..	..	Sholapur	.	.	2	..	.	.	..	..														
Warrangal	.	.	..	..	2	..	.	..	West Khandesh	.	..	..	3	..	.	..	..														
Nizamabad	.	.	1	2	..	..	..	..	Akola	.	.	4	2	..	.	..	..														
Medak	.	.	8	12	..	1	..	..	Amravati	.	.	7	2	.	.	..	..														
Nalgonda	.	.	29	7	1	2	..	..	Buldhana	.	.	4	..	..	..	..	..														
Hyderabad	.	.	1	..	..	..	..	..	Chanda	.	.	..	..	14	2	.	..														
TOTAL	.	54	30	128	26	..	..	..	Nagpur	.	.	83	15	3	..	.	..														
Total for w/e 26-10-57									"N.R."								Wardha														
Total for w/e 19-10-57	45	20	71	21	..	..	..	..	Yeotmal	.	.	5	2	..	.	..	..														
Assam								Osmanabad								Parbhani															
Goalpara	.	.	5	3	..	..	..	..	TOTAL	.	.	127	32	45	9	..	..														
Kamrup	.	.	6	2	6	3	..	..	Total for w/e 26-10-57	373	94	66	13	.	..	..															
Sibsagar	.	.	..	..	11	2	..	..	Total for w/e 19-10-57	236	83	66	18	..	..	..															
TOTAL	.	.	11	5	17	5	..	..																							
Total for w/e 26-10-57	16	22	1	..	..	..	..	..																							
Total for w/e 19-10-57	37	21	3	2	5	..	..	..																							

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

**Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd November, 1957—*contd.***

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
<b>Delhi</b>							<b>Manipur</b>						
"N.R."							TOTAL						
TOTAL	..	..	..	..	..	..	Total for w/e 26-10-57	..	..	..	..	..	..
Total for w/e 26-10-57	..	..	..	..	..	..	Total for w/e 19-10-57	..	..	..	..	..	..
Total for w/e 19-10-57	..	..	..	..	..	..							
<b>Himachal Pradesh</b>							<b>Mysore</b>						
"N.R."							"N.R."						
TOTAL	..	..	..	..	..	..	<b>Orissa</b>						
Total for w/e 26-10-57	..	..	..	..	..	..	Cuttack	..	..	2	1	24	3
Total for w/e 19-10-57	..	..	..	..	..	..	Balasore	..	..	..	1	11	1
							Puri	..	..	..	..	130	41
<b>Kerala</b>							Ganjam	..	..	..	..	31	3
Trivandrum	..	..	..	1	5	..	Koraput	..	..	..	..	6	1
Quilon	..	..	..	11	2	..	Dhenkanal	..	..	..	..	4	3
Malabar	..	..	..	9	6	..	Kalahandi	..	..	..	..	3	..
Trichur	..	..	..	1	..	..	Baudh	..	..	..	..	2	..
TOTAL	..	..	22	13	..	..	Mayurbhanj	4	1	..	..	..	..
Total for w/e 26-10-57	..	..	42	10	..	..	TOTAL	..	6	3	211	52	..
Total for w/e 19-10-57	..	..	22	12	..	..	Total for w/e 26-10-57	3	3	99	24	..	..
							Total for w/e 19-10-57	9	7	112	51	..	..
<b>Madhya Pradesh</b>													
"N.R."							<b>Pondicherry</b>						
TOTAL	..	..	..	..	..	..	TOTAL	..	..	..	7	2	..
Total for w/e 26-10-57	..	..	..	..	..	..	Total for w/e 26-10-57	..	..	..	..	..	..
Total for w/e 19-10-57	..	..	..	..	..	..	Total for w/e 19-10-57	..	..	..	..	..	..
<b>Madras</b>													
Madras City	..	..	35	7	50	14	<b>Punjab</b>						
Chingleput	..	..	6	3	6	..	Hissar	..	..	..	..	1	..
South Arcot	..	..	32	19	28	8	Rohtak	..	..	..	3	..	..
Thiruchirappalli	..	..	1	1	3	1	Karnal	..	..	..	1	..	..
Tanjore	..	..	4	3	8	4	Jullundur	..	..	..	1	..	..
Madurai	..	..	3	..	10	1	Ferozepur	..	..	..	2	3	..
Ramanathapuram	..	..	..	..	36	17	TOTAL	..	..	..	7	4	..
North Arcot	..	..	11	5	9	1	Total for w/e 26-10-57	..	..	..	35	3	..
Salem	..	..	..	..	47	19	Total for w/e 19-10-57	..	..	..	4	3	..
Coimbatore	..	..	..	..	3	5							
Nilgiris	..	..	..	..	2	..							
Kanya Kumari	..	..	..	..	3	..							
TOTAL	..	92	38	205	70	..							
Total for w/e 26-10-57	89	32	163	51	..	..							
Total for w/e 19-10-57	95	50	224	69	..	..							

Explanation of symbols used : C=Cases ; D=Deaths ; ..=Nil ; "N.R."—Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd November, 1957—contd.

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
Rajasthan								Arrear Information							
"N.R."								West Bengal							
TOTAL								For w/e 26-10-1957							
Total for w/e 26-10-57	..	..	..	..	..	..	..	Burdwan	..	..	8	..	..	..	..
Total for w/e 19-10-57	..	..	..	..	..	..	..	Birbhum	..	..	1	..	..	..	..
Tripura								Midnapur	..	..	8	5	4	1	..
TOTAL	..	..	..	..	..	..	..	Hooghly	..	..	..	..	35	16	..
Total for w/e 26-10-57	..	..	2	1	..	..	..	Howrah	..	..	42	19	16	9	..
Total for w/e 19-10-57	..	..	..	..	..	..	..	24-Paraganas	..	..	15	6	8	4	..
Uttar Pradesh								Calcutta	..	..	12	2	..	..	..
Bareilly	..	..	1	..	..	..	..	Murahidabad	..	..	..	..	13	7	..
Dehradun	..	..	..	2	1	..	..	Malda	..	..	6	3	6	1	..
Deoria	..	..	..	3	1	..	..	Purulia	..	..	3	3	..	..	..
Fatehpur	..	..	..	1	..	..	..	TOTAL	..	86	38	91	38	..	..
Gazipur	..	..	..	2	..	..	..	Orissa							
Jalaun	..	..	..	6	2	..	..	For w/e 12-10-57 (Supplementary)							
Kanpur	..	..	..	1	..	..	..	Dhenkanal	..	..	2	1	1	..	..
Lucknow	..	..	3	..	..	..	..	TOTAL	..	2	1	1	..	..	..
Meerut	..	..	..	3	..	..	..	Mysore							
Banaras	..	..	..	1	1	..	..	For w/e 31-8-1957							
Allahabad	..	..	..	13	1	..	..	Bangalore	..	..	..	..	31	7	..
TOTAL	..	4	..	32	6	..	..	Chikwagalur	..	..	..	..	3	1	..
Total for w/e 26-10-57	23	11	16	5	..	..	..	Mandya	..	..	..	..	2	..	..
Total for w/e 19-10-57	5	..	12	2	..	..	..	Bellary	..	..	..	..	1	1	..
West Bengal								Bidar	..	..	16	8	..	..	..
"N.R."								Gulberga	..	..	21	10	..	..	..
Grand total for India								Raichur	..	..	12	3	..	..	..
(Excluding Bihar,								Belgaum	..	..	49	22	..	..	..
Delhi, Himachal Pradesh,								Bijapur	..	..	4	1	1	..	..
Madhya Pradesh, Mysore								South Kanara	..	..	..	6	2	..	..
Rajasthan and West								TOTAL	..	102	44	44	11	..	..
Bengal)	294	108	674	187	..	..	..	Explanation of symbols used:—C.—Cases; D.—Deaths; ..—Nil. "N.R."—Information not received.							
Corresponding Total															
for w/e 26-10-57	558	162	424	107	..	..	..								
Corresponding Total															
for w/e 19-10-57	427	181	514	178	5	..	..								

Explanation of symbols used:—C.—Cases; D.—Deaths; ..—Nil. "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd November, 1957—concl'd.

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
Mysore—contd.								Bihar							
For w/s 7-9-57								For w/s 26-10-57							
Bangalore	.	..	..	12	3	..	..	Patna	.	.	53	16	1	..	..
Chitaldrug	.	.	..	..	1	..	..	Gaya	.	.	79	39	5	4	..
Mandya	.	.	..	..	9	..	..	Shahbad	.	.	4	2	..	..	..
Tumkur	.	.	..	..	5	1	..	Champaran	.	.	11	5	..	..	..
Bidar	.	.	15	11	11	6	..	Bhagalpur	.	.	16	4	..	..	..
Gulberga	.	.	8	5	..	..	..	Hazaribagh	.	..	..	25	12	..	..
Raichur	.	.	42	10	..	..	..	Dhanbad	.	.	..	2	2	..	..
Belgaum	.	.	11	3	..	..	..	TOTAL	.	.	163	66	33	18	..
South Kanara	.	..	..	3	2	..	..	POLIOMYELITIS							
TOTAL	.	.	76	29	41	12	..	(Information based on patients treated in hospitals in important towns)							
								Place	Period	Cases	Deaths				
								Fortnight ending							
								Punjab	31-10-57	21	..	(Parotic)			

NEW DELHI-2 (INDIA) ;  
The 25th November, 1957. }

H. R. SHARMA,  
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,100/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 656

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd November, 1957

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from 1—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Assam				"N.R."										
Bihar														
Arrah	72	3	2.2	..	..	..	4	..	..	..	4	2.6	..	
Bettiah	39	3	4.0	..	..	..	..	..	1	..	3	4.0	..	
Bhagalpur	130	26	10.4	2	..	..	3	..	..	..	16	6.4	..	
Bihar	69	14	10.6	..	..	..	2	..	..	..	3	2.3	..	
Chhapra†	95	18	9.9	..	..	..	2	..	..	..	2	1.1	..	
Darbhanga	42	12	14.9	..	..	..	1	1	..	1	7	8.7	..	
Dhanbad	45	6	6.9	..	..	..	..	..	1	2	4	4.6	..	
Dinapur	153	52	17.7	..	..	..	18	8	11	1	58	19.7	..	
Gaya	40	20	26.0	..	..	..	..	..	..	..	5	6.5	3	
Hazaribagh	48	1	1.1	..	..	..	..	..	..	..	..	..	..	
Jamalpur	253	135	27.7	..	..	..	1	..	..	..	15	3.1	2	
Jamshedpur	53	..	..	..	..	..	..	..	..	..	..	..	..	
Katihar	82	5	3.2	2	..	..	..	..	..	..	5	3.2	..	
Monghyr	87	30	17.9	..	..	..	2	3	..	..	9	5.4	..	
Muzaffarpur	341	186	28.4	..	..	..	7	..	3	..	23	3.5	..	
Patna	134	16	6.2	..	..	..	11	1	..	..	25	9.7	6	
Ranchi	1,683	527	16.3	4	..	..	51	13	16	4	179	5.5	11	
TOTAL														
Bombay				"N.R."										
Delhi				"N.R."										
Kerala														
Alleppey	155	53	17.8	..	..	..	1	2	3	..	28	9.4	1	
Changanacherry	42	23	28.5	..	..	..	1	..	..	..	6	7.4	..	
Kottayam†	87	23	13.7	..	..	..	..	1	3	..	13	7.8	2	
Ernakulam†	77	39	26.3	..	..	..	1	..	2	..	11	7.4	1	
Mattancherry	78	32	21.3	..	..	..	3	..	6	..	20	13.3	3	
Quilon	79	64	42.1	..	..	..	1	1	8	..	20	13.2	5	
Trichur	48	27	29.3	..	..	..	1	..	3	..	8	8.7	3	
Trivandrum†	43	39	47.2	..	..	..	..	..	1	..	17	20.6	2	
Kozhikode†	32	28	45.5	..	..	..	1	..	..	..	10	16.3	3	
Palghat	79	64	42.1	..	..	..	1	1	8	..	20	13.2	5	
Cannanore	48	27	29.3	..	..	..	1	..	3	..	8	8.7	3	
Tellicherry	43	39	47.2	..	..	..	..	..	1	..	17	20.6	2	
Cochin	32	28	45.5	..	..	..	1	..	..	..	10	16.3	3	
TOTAL	641	328	26.6	..	..	..	9	4	26	..	133	10.8	20	
Madhya Pradesh				"N.R."										

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:— B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd November 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras														
Ambur . .	46	31	35.0	..	..	..	..	1	3	..	10	11.3	1	
Arrupukottal . .	58	59	52.9	..	..	..	6	3	..	..	21	18.8	9	
Bodinayakumurt†														
Chidambaram . .	41	45	57.1	..	..	..	..	1	..	..	15	19.0	4	
Coimbatore . .	242	359	77.1	..	1	..	1	10	18	1	97	20.8	26	
Cuddalore . .	75	74	51.3	..	..	..	3	1	6	..	25	17.3	1	
Dindigul . .	93	51	28.5	..	..	..	5	2	1	..	19	10.6	3	
Erode . .	70	125	92.9	..	..	..	1	1	6	..	22	16.3	5	
Gobichetipalayam . .	40	6	7.8	..	..	..	..	..	1	..	3	3.9	..	
Gudiyettam†														
Kancheepuram . .	92	64	36.2	..	..	..	1	1	12	..	31	17.5	6	
Karaikudi . .	45	39	45.1	..	5	..	2	1	..	..	15	17.3	3	
Karur . .	52	41	41.0	..	..	..	3	..	1	..	18	18.0	4	
Kumtekona . .	108	117	56.3	..	1	..	2	..	2	..	22	10.6	5	
Madras City . .	1,770	1,569	46.1	7	17	..	82	65	157	3	619	18.2	152	
Madurai . .	443	527	61.9	..	1	..	9	9	17	..	138	16.2	49	
Mayuram . .	51	43	43.8	..	..	..	..	..	1	..	10	10.2	1	
Mattapalayam . .	42	30	37.1	..	..	..	3	3	..	..	9	11.3	7	
Nagapattinam . .	61	45	38.4	..	..	..	2	..	1	..	15	12.8	1	
Nagercoll . .	97	51	27.3	..	..	..	2	..	1	..	10	5.4	1	
Ootacamund . .	49	46	48.8	..	..	..	1	..	3	..	15	15.9	5	
Palni . .	41	27	34.2	..	..	..	..	3	5	..	15	19.0	4	
Palayamkottal†														
Periyakulam . .	34	26	39.8	..	..	..	1	2	3	..	16	24.5	1	
Pollachi . .	53	63	61.8	..	1	..	..	1	2	..	17	16.7	7	
Pudukottai . .	51	37	37.7	..	..	..	1	2	..	1	23	23.4	4	
Rajapalayam . .	71	34	24.9	..	..	..	4	4	2	..	18	13.2	5	
Salem . .	250	155	32.2	..	..	..	3	5	9	1	59	12.3	6	
Sriangam . .	43	45	54.4	..	..	..	..	2	1	1	10	12.1	1	
Srivikipputtur . .	44	30	35.4	..	..	..	3	..	1	1	21	24.8	5	
Tanjore . .	122	116	49.4	..	..	..	3	3	5	1	59	25.1	11	
Tiruchirappalli . .	258	129	26.0	..	..	..	5	2	9	2	75	15.1	17	
Tirunelveli . .	82	63	40.0	..	..	..	2	1	10	..	30	19.0	9	
Tiruppur . .	65	65	52.0	..	..	..	..	2	1	..	20	16.0	4	
Tiruvannamala . .	46	26	29.4	..	..	..	..	1	1	..	12	13.6	1	
Tuticorin . .	114	120	54.7	..	..	..	..	4	7	..	37	16.9	13	
Vaniyambadi . .	44	22	26.0	..	..	..	..	1	2	..	7	8.3	3	
Vellore . .	129	147	59.3	..	..	..	3	1	14	1	50	20.2	14	
Villapuram . .	40	39	50.7	..	..	..	..	3	3	..	13	16.9	3	
Virudhunagar . .	54	64	61.6	..	..	..	..	..	1	..	13	12.5	4	
TOTAL. .	5,016	4,530	47.0	7	26	..	148	135	306	12	1609	16.7	395	
Mysore														
Bangalore . .	1,023	381	19.4	..	7	..	5	48	74	..	205	10.4	..	
Mysore . .	306	133	22.6	..	..	..	24	10	7	..	105	17.8	..	
Kolar Gold Fields . .	176	47	13.9	..	3	..	..	1	..	..	13	3.8	..	
Bellary . .	80	38	24.7	..	..	..	3	2	6	..	34	22.1	..	
Dayangere . .	72	40	28.9	..	..	..	2	2	..	..	16	11.5	..	
Shimoga . .	59	21	18.5	..	1	..	6	1	..	..	9	7.9	..	
Bhadravati†														
Hospet . .	47	33	36.5	..	..	..	1	1	1	..	11	12.2	..	
Tumkur . .	45	11	12.7	..	..	..	0	2	..	3	11	12.7	..	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd November, 1957.—*contd.*

Deaths from :—														
Town	Mid. year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Mysore—contd.														
Kolar†														
Chitaldrug	32	4	6.5	..	..	..	..	..	..	..	4	6.5	..	
Hassan	32	15	24.4	..	..	..	..	..	..	..	8	13.0	..	
Bidar†														
Gulberga	93	40	22.4	..	..	..	4	2	..	..	9	5.0	..	
Raichur†														
Belgaum	113	34	15.6	..	..	..	1	..	..	..	12	5.5	..	
Bijapur†														
Dharwar†														
Mangalore	141	77	28.4	..	..	..	4	17	2	..	65	24.0	..	
Bagalkot	37	33	46.4	..	..	..	6	..	..	..	9	12.6	..	
Hubli†														
Gadag (Bettigere)	73	47	33.5	..	..	4	8	..	1	1	20	14.2	..	
TOTAL	2,329	954	21.3	..	11	4	70	86	91	4	531	11.9	..	
Orissa														
Behrampur	75	35	24.3	..	1	..	3	2	2	..	12	8.3	3	
Cuttack	121	125	53.7	..	..	..	9	9	7	..	60	25.8	8	
Puri	55	41	38.8	..	1	..	14	7	2	..	29	27.4	2	
TOTAL	251	201	41.6	..	2	..	26	18	11	..	101	20.9	13	
Pondicherry	69	76	57.3	..	..	..	2	1	2	1	17	12.8	10	
Punjab														
Ambala	67	63	48.9	..	..	..	4	4	5	..	22	17.1	10	
Amritsar	351	261	38.7	..	..	..	..	9	23	1	81	12.0	18	
Batala	64	54	43.9	..	..	..	6	..	3	..	12	9.8	2	
Bhiwani	58	64	57.4	..	..	..	5	5	4	..	17	15.2	5	
Ferozepur	46	50	56.5	..	..	..	..	1	6	..	8	9.0	2	
Hissar	40	46	59.8	..	..	..	8	..	..	..	9	11.7	2	
Hoshiarpur	52	50	50.0	..	..	..	4	..	..	..	15	15.0	3	
Jullundur	207	213	53.5	..	..	..	8	2	11	..	40	10.0	13	
Karnal	74	59	41.4	..	..	..	5	1	2	..	13	9.1	2	
Ludhiana	182	260	74.3	..	..	..	4	..	9	..	38	10.9	14	
Moga	42	39	48.3	..	..	..	2	1	2	..	8	9.9	6	
Panipat	66	81	63.8	..	..	..	10	1	..	..	16	12.6	4	
Pathankot	36	42	60.7	..	..	..	2	1	1	..	7	10.1	2	
Rewari	37	48	67.4	..	..	..	1	1	3	..	7	9.8	1	
Rohtak	110	104	49.2	..	..	..	8	..	3	..	26	12.3	6	
Simla	51	29	29.6	..	..	..	..	..	..	..	5	5.1	..	
Sonapat	35	33	49.0	..	..	..	6	..	..	..	7	10.4	4	
Bhatinda	40	58	75.4	..	..	..	2	..	2	..	9	11.7	..	
Malerkotla	135	18	26.7	..	..	..	5	..	1	1	10	14.9	..	
Patiala	115	91	41.1	..	..	..	9	..	6	1	34	15.4	18	
TOTAL	1,708	1,663	50.6	..	..	..	89	26	81	3	384	11.7	112	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd November, 1957—*contd.*

Town	Mid-year Popn-Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Uttar Pradesh		N.R.														
West Bengal		N.R.														
ARREAR RETURNS																
West Bengal		For week ending 7th September, 1957.														
Asansol . . . . .		89	3	1·8	...	...	...	...	1	...	...	2	1·2	...		
Baidyabati . . . . .		34	16	24·5	1	...	...	1	...	...	...	6	9·2	1		
Bally . . . . .		67	7	5·4	...	...	...	...	...	...	...	2	1·6	...		
Bankura . . . . .		50	1	1·0	...	...	...	...	...	...	...	3	3·1	...		
Bansberī†																
Basirhat . . . . .		40	6	7·8	2	...	...	...	...	...	...	4	5·2	...		
Baranagar . . . . .		93	31	17·3	1	...	...	1	2	5	...	20	11·2	10		
Behyrampur . . . . .		65	45	36·0	...	4	...	2	2	4	...	22	17·6	3		
Bhadreswar . . . . .		35	9	13·4	...	1	...	2	...	1	...	5	7·4	1		
Bhatpara . . . . .		145	30	10·8	3	1	...	14	1	3	...	44	15·8	7		
Burdwan . . . . .		84	35	21·7	...	...	...	...	2	1	...	8	5·0	...		
Calcutta . . . . .		3,060	1,508	25·6	11	3	...	36	66	153	...	655	11·1	199		
Champdani . . . . .		41	24	30·4	...	...	...	...	...	...	...	4	5·1	...		
Cooch-Behar†																
Darjeeling . . . . .		39	21	28·0	...	...	...	1	1	2	...	7	9·3	...		
English Bazar . . . . .		37	14	19·7	2	...	...	2	...	...	...	7	9·8	...		
Garden Reach . . . . .		127	10	4·1	2	...	...	3	2	3	...	15	6·1	4		
Halisahar . . . . .		42	2	2·5	...	...	...	...	...	...	...	...	...	...		
Hooghly-Chinsura . . . . .		61	82	69·9	2	...	...	3	1	1	1	11	9·4	2		
Howrah . . . . .		487	160	17·1	7	1	...	4	24	34	1	144	15·4	44		
Jalpaiguri . . . . .		50	12	12·5	...	...	...	...	...	2	...	4	4·2	...		
Kamarhati†																
Kanchrapara . . . . .		78	8	5·3	...	...	...	...	...	...	...	2	1·3	...		
Krishnagar . . . . .		58	...	...	...	...	...	...	...	...	...	1	0·9	...		
Midnapur . . . . .		45	81	93·6	...	...	...	1	...	...	...	5	5·8	...		
Nabadwip . . . . .		73	39	27·8	...	...	...	6	4	2	...	15	10·7	...		
Naihati . . . . .		64	12	9·8	...	...	...	1	...	...	...	4	3·3	...		
North Barrackpore . . . . .		37	6	8·4	2	...	...	...	...	...	...	3	4·2	...		
Panihati . . . . .		68	3	2·3	...	...	...	...	...	...	...	...	...	...		
Santipur . . . . .		51	12	12·2	...	...	...	...	2	...	...	3	3·1	1		
Serampur . . . . .		86	31	18·7	3	...	...	3	5	3	...	34	20·6	12		
Siliguri . . . . .		46	28	31·7	...	...	...	...	...	...	...	4	4·5	...		
South Dum Dum . . . . .		87	3	1·8	...	...	...	...	...	...	...	...	...	...		
South Suburban . . . . .		129	34	13·7	...	...	...	2	8	1	...	16	6·4	4		
Titagarh . . . . .		79	25	16·5	...	...	...	15	...	1	...	18	11·8	1		
Purulia . . . . .		49	7	7·4	...	...	...	1	1	...	...	3	3·2	...		
Budge-Budge . . . . .		32	11	17·9	...	...	...	2	1	...	...	5	8·1	...		
Chandernagore . . . . .		57	57	52·0	...	...	...	2	...	5	1	17	15·5	2		
Kharagpur . . . . .		77	3	2·0	...	...	...	...	...	...	...	...	...	...		
TOTAL . . . . .		5,762	2,376	21·4	36	10	...	102	123	221	3	1,093	9·9	292		

**Andhra Pradesh**

For week ending 21st September 1957 (Supplementary)

Nizamabad . . . . .	70	10	7·4	2	...	...	...	...	...	...	...	2	1·5	2
---------------------	----	----	-----	---	-----	-----	-----	-----	-----	-----	-----	---	-----	---

For week ending 28th September 1957 (Supplementary)

Anantpur . . . . .	39	31	41·3	...	...	...	...	...	2	2	2	14	18·7	4
Kurnool . . . . .	70	70	52·0	...	...	...	...	3	2	2	...	18	13·4	4
Nizamabad . . . . .	70	9	6·7	...	...	...	...	1	...	2	...	3	2·2	2
Kothagudiam . . . . .	76	38	26·0	...	...	...	...	...	...	...	...	4	2·7	...

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information; N.R. = Information not received.



**Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd November, 1957—contd.**

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.	I.D.
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
		For week ending 14th September 1957.												
Asansol . . . . .	89	4	2.3	...	...	...	...	...	...	...	4	2.3	...	
Baidyabati . . . . .	34	10	15.3	...	...	...	...	...	...	...	2	3.1	...	
Bally . . . . .	67	9	7.0	...	...	...	...	1	2	...	6	4.7	...	
Bankhura . . . . .	50	8	8.3	...	...	...	...	1	...	...	4	4.2	...	
Bansberia† . . . . .	40	5	6.5	2	...	...	...	...	...	...	3	3.9	...	
Basirhat . . . . .	40	5	6.5	2	...	...	...	...	...	...	3	3.9	...	
Baranagar . . . . .	93	46	25.7	...	1	...	4	4	3	...	16	8.9	3	
Baharampur . . . . .	65	52	41.6	...	3	...	1	3	...	...	19	15.2	3	
Bhadreswar† . . . . .														
Bhatpara . . . . .	145	32	11.5	...	...	...	17	2	1	1	37	13.3	8	
Burdwan . . . . .	84	15	9.3	...	...	...	...	...	...	...	3	1.9	...	
Calcutta . . . . .	3,060	1,374	23.3	6	1	...	29	89	138	2	692	11.8	191	
Champadani . . . . .	41	12	15.2	1	...	...	...	...	...	...	2	2.5	...	
Cooch-Behar† . . . . .														
Darjeeling . . . . .	39	8	10.7	...	...	...	5	...	1	...	9	12.0	...	
English Bazar . . . . .	37	3	4.2	1	...	...	...	...	1	...	3	4.2	...	
Garden Reach . . . . .	127	12	4.9	...	...	...	7	2	...	...	16	6.6	4	
Halisahar . . . . .	42	1	1.2	...	...	...	...	...	...	...	3	3.7	...	
Hoogly-Chinsura . . . . .	61	69	58.8	3	...	...	5	3	2	...	23	19.6	3	
Howrah . . . . .	487	162	17.3	1	1	...	5	24	30	1	137	14.6	49	
Jalpaiguri . . . . .	50	25	26.0	...	...	...	3	2	1	...	11	11.4	...	
Kamarhati† . . . . .														
Kanchrapara . . . . .	78	13	8.7	...	...	...	...	...	...	...	...	...	...	
Krishnagar . . . . .	58	...	...	...	...	...	...	...	...	...	1	0.9	...	
Midnapur . . . . .	45	42	48.5	...	...	...	...	1	1	...	10	11.6	...	
Nabadwip . . . . .	73	32	22.8	...	...	...	3	...	1	...	5	3.6	...	
Naihati . . . . .	64	4	3.3	...	...	...	3	...	...	...	4	3.3	1	
North Barrackpore . . . . .	37	2	2.8	...	...	...	2	...	...	...	4	5.6	...	
Panihati . . . . .	68	1	0.8	...	...	...	2	2	...	...	10	7.6	...	
Santipur . . . . .	51	15	15.3	...	...	...	1	...	1	...	6	6.1	2	
Schrapur . . . . .	86	47	28.4	...	...	...	3	4	1	...	20	12.1	6	
Shlieuri . . . . .	46	18	20.3	...	...	...	1	...	2	...	5	5.7	...	
South Dum Dum . . . . .	87	16	9.6	...	...	...	1	...	...	...	1	0.6	...	
South Suburban . . . . .	129	22	8.9	...	...	...	1	6	3	...	14	5.6	4	
Titagarh . . . . .	79	8	5.3	...	...	...	9	3	...	...	12	7.9	1	
Purulia . . . . .	49	7	7.4	...	...	...	1	1	1	...	4	4.2	...	
Budge-Budge . . . . .	32	16	26.0	...	...	...	...	...	2	...	3	4.9	1	
Chandernagore . . . . .	57	58	52.9	...	...	...	...	3	2	1	25	22.8	5	
Kharagpur . . . . .	77	3	2.0	...	...	...	...	...	...	...	1	0.7	...	
TOTAL . . . . .	5,727	2,151	19.5	14	6	...	103	151	193	5	1,115	10.1	281	

*For Week ending 21st September, 1957.*

Asansol . . . . .	89	6	3.5	..	..	..	..	..	..	..	5	2.9	..
Baidyabati . . . . .	34	7	10.7	..	..	..	..	1	..	..	4	6.1	..
Bally . . . . .	67	3	2.3	..	..	..	..	1	2	..	5	3.9	..
Bankura . . . . .	50	9	9.4	..	..	..	1	..	..	..	6	6.2	..
Bansberia† . . . . .	...	...	...	...	...	...	...	...	...	...	...	...	...
Basirhat . . . . .	40	2	2.6	..	..	..	..	..	..	..	..	..	..
Baranagar . . . . .	93	38	21.2	..	..	..	4	3	2	..	18	10.1	6
Baharampur . . . . .	65	48	38.4	..	3	..	1	2	1	..	18	14.4	5
Bhadreswar . . . . .	35	5	7.4	..	..	..	..	1	1	..	5	7.4	1
Bhatpara . . . . .	145	32	11.5	..	..	..	15	2	1	1	39	14.0	10
Burdwan . . . . .	84	25	15.5	..	..	..	1	..	1	..	11	6.8	..
Calcutta . . . . .	3,060	1,690	28.7	2*	3	..	32	69	140	4	667	11.3	179

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2th November, 1957—*contd.*

Town	Mid-year Popn.Est. (000)	Deaths from:—											Total	D.R.	I.D.
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal—contd.															
Champadani . . . . .	41	17	21.6	..	..	..	..	..	..	..	4	5.1	..	..	
Cooch-Behar†															
Darjeeling†															
English Bazar . . . . .	37	41	57.6	2	..	..	..	2	..	..	8	11.2	..	..	
Garden Reach . . . . .	127	13	5.3	..	..	..	2	1	3	..	11	4.5	..	..	
Halisahar . . . . .	42	3	3.7	..	..	..	..	..	..	..	..	..	..	..	
Hooghly-Chinsura . . . . .	61	84	71.6	..	..	..	2	3	1	1	16	13.6	4	..	
Howrah . . . . .	487	212	22.6	2	6	..	7	11	38	1	146	15.6	44	..	
Jalpaiguri . . . . .	50	21	21.8	..	..	..	2	..	1	1	8	8.3	..	..	
Kamarhati†															
Kanchrapara . . . . .	78	11	7.3	..	..	..	1	..	..	..	1	0.7	..	..	
Krishnagar . . . . .	58	..	..	..	..	..	..	..	2	..	2	1.8	..	..	
Midnapur . . . . .	45	53	61.2	..	..	..	4	3	1	..	17	19.6	..	..	
Nabdwip . . . . .	73	56	40.0	..	..	..	4	2	4	..	16	11.4	2	..	
Naihati . . . . .	64	5	4.1	..	..	..	4	..	..	..	5	4.1	..	..	
North Barrackpore . . . . .	37	7	9.8	..	..	..	2	1	..	..	3	4.2	..	..	
Panihati . . . . .	68	2	1.5	..	..	..	..	3	1	..	15	11.5	..	..	
Santipur . . . . .	51	33	33.6	..	..	..	..	1	..	..	6	6.1	2	..	
Schrampur . . . . .	86	49	29.6	..	..	..	5	5	4	1	24	14.5	7	..	
Shliguri . . . . .	46	25	28.3	..	..	..	..	..	..	..	..	..	..	..	
South Dum Dum . . . . .	87	34	20.3	..	..	..	..	..	..	..	2	1.2	..	..	
South Suburban . . . . .	129	62	25.0	..	..	..	3	8	6	..	21	8.5	4	..	
Titagarh . . . . .	79	33	21.7	..	..	..	13	..	..	1	16	10.5	4	..	
Purulia . . . . .	49	7	7.4	..	..	..	..	1	..	1	3	3.2	..	..	
Budge-Budge . . . . .	32	13	21.1	..	1	..	..	2	..	..	5	8.1	1	..	
Chandernagore . . . . .	57	46	42.0	..	..	..	..	2	1	..	17	15.5	5	..	
Kharagpur . . . . .	77	7	4.7	..	..	..	..	..	..	..	..	..	..	..	
TOTAL . . . . .	5,723	2,699	24.5	6	13	..	103	124	210	11	1,124	10.2	274	..	

For week ending 28th September, 1957.

Asansol . . . . .															
Baidyabati . . . . .	34	9	13.8	..	..	..	..	..	1	..	4	6.1	..	..	..
Bally . . . . .	67	4	3.1	..	..	..	..	..	1	..	4	3.1	..	..	..
Bankura . . . . .	50	17	17.7	..	..	..	..	1	1	1	..	5	5.2	..	..
Bansberia†															
Basirhat . . . . .	40	4	5.2	..	..	..	..	..	..	..	..	..	..	..	..
Baranagar . . . . .	93	37	20.7	..	..	..	3	3	2	..	20	11.2	5	..	..
Behrampur . . . . .	65	..	..	..	4	..	5	1	..	..	16	12.8	2	..	..
Bhadeswar . . . . .	35	11	16.3	..	2	..	..	1	1	..	4	5.9	..	..	..
Bhatpara . . . . .	145	20	7.2	..	1	..	15	..	5	..	36	12.9	10	..	..
Burdwan . . . . .	84	22	13.6	..	..	..	..	..	2	..	4	2.5	..	..	..
Calcutta . . . . .	3,060	1,559	26.5	9	..	..	42	76	163	2	669	11.4	193	..	..
Chamadani . . . . .	41	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cooch-Behar†															
Darjeeling . . . . .	39	14	18.7	..	..	..	..	..	..	..	..	..	..	..	..
English Bazar . . . . .	37	14	19.7	3	..	..	..	1	..	1	8	11.2	..	..	..
Garden Reach . . . . .	127	20	8.2	1	..	..	5	2	1	..	15	6.1	3	..	..
Halisahar . . . . .	42	2	2.5	..	..	..	..	..	..	..	1	5.0	..	..	..
Hooghly-Chinsura . . . . .	61	80	68.2	..	1	..	2	3	1	..	14	11.9	1	..	..
Howrah . . . . .	487	189	20.2	3	1	..	6	23	35	..	49	15.9	45	..	..
Jalpaiguri . . . . .	50	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Kamarhati†															
Kanchrapara . . . . .	78	12	8.0	..	..	..	..	..	..	..	..	..	..	..	..
Krishnagar . . . . .	58	..	..	..	..	..	..	..	..	..	..	..	..	..	..

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information.

**Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd November, 1957—contd.**

Deaths from :—

Town	Mid-year Popn.Est. (000)												Total	D.R.	I.D.
		B.	BR.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal															
Midnapur . . . . .	45	27	31.2	..	..	..	..	..	..	..	..	12	13.9	..	
Nabadwip . . . . .	73	63	44.9	..	..	..	10	1	..	..	..	15	10.7	..	
Naihati . . . . .	64	10	8.1	..	..	..	7	..	2	..	..	10	8.1	..	
North Barrackpore . . . . .	37	7	9.8	..	..	..	..	..	..	..	..	..	..	..	
Panihati . . . . .	68	3	2.3	1	..	..	1	2	..	..	..	20	15.3	..	
Santipur . . . . .	51	26	26.5	..	..	..	..	1	..	..	..	8	8.2	1	
Serampore . . . . .	86	42	25.4	..	..	..	3	6	6	..	..	34	20.6	7	
Siliguri . . . . .	46	22	24.9	..	..	..	1	2	..	..	..	6	6.8	..	
South Dum Dum . . . . .	87	11	6.6	..	..	..	—	..	..	..	..	..	..	..	
South Suburban . . . . .	129	40	16.1	..	..	..	..	5	10	..	..	19	7.7	5	
Titagarh . . . . .	79	13	8.6	..	..	..	21	2	3	..	..	27	17.8	6	
Purulia . . . . .	49	7	7.4	..	..	..	..	1	2	..	..	3	3.2	..	
Budge-Budge . . . . .	32	10	16.3	..	..	..	..	..	..	..	..	1	1.6	..	
Chandernagore . . . . .	57	48	43.8	..	..	..	..	1	3	1	..	23	21.0	3	
Kharagpur . . . . .	77	2	1.4	..	..	..	..	..	..	..	..	..	..	..	
TOTAL . . . . .	5,673	2,345	21.5	17	9	..	124	132	239	4	1,130	10.4	281		
Andhra Pradesh															
For w/e 12-10-57															
Adoni . . . . .	66	54	42.5	..	..	..	..	3	2	..	..	16	12.6	5	
Anantpur . . . . .	39	19	25.3	..	..	..	..	1	3	1	..	7	9.3	1	
Anakapalli . . . . .	47	27	29.9	..	..	..	2	4	..	..	..	17	18.8	4	
Bhlmavaram . . . . .	37	23	32.3	..	..	..	..	..	..	1	..	7	9.8	2	
Chirala . . . . .	45	27	31.2	..	..	..	..	..	3	..	..	9	10.4	1	
Chittoor . . . . .	46	78	88.2	..	..	..	2	..	2	..	..	11	12.4	2	
Cuddapah . . . . .	44	34	40.2	..	1	..	3	..	..	..	..	11	13.0	—	
Eluru . . . . .	102	46	23.5	..	..	..	2	1	3	..	..	22	11.2	4	
Gudiyada . . . . .	37	7	9.8	..	..	..	2	..	..	..	..	4	5.6	2	
Guntur . . . . .	153	190	64.6	..	..	..	5	4	3	..	..	52	17.7	7	
Guntakal . . . . .	39	20	26.7	..	3	..	2	..	2	..	..	12	16.0	2	
Kakinada . . . . .	117	97	43.1	..	..	..	17	..	..	..	..	62	27.5	10	
Kurnool . . . . .	70	87	64.6	..	..	..	1	3	1	..	..	19	14.1	4	
Masulipatam . . . . .	91	76	43.4	..	..	..	3	1	2	..	..	17	9.7	4	
Nandyal . . . . .	38	51	69.8	..	..	..	3	2	2	1	..	23	31.5	1	
Nellore . . . . .	98	110	58.4	..	..	..	2	2	3	1	..	41	21.8	4	
Proddutur† . . . . .	126	83	34.3	..	1	..	3	3	5	..	..	51	21.0	10	
Rajahmundry . . . . .	126	83	34.3	..	1	..	3	3	5	..	..	51	21.0	10	
Tenali . . . . .	70	85	63.1	..	1	..	1	1	4	..	..	17	12.6	10	
Vijayavada . . . . .	210	173	42.8	..	..	..	7	1	7	2	..	51	12.6	11	
Visakhapatnam . . . . .	133	66	25.8	..	..	..	5	5	10	..	..	35	13.7	9	
Vizianagaram . . . . .	77	39	26.3	..	..	..	3	5	2	1	..	33	22.3	6	
Hyderabad . . . . .	1,102	502	23.7	..	..	..	31	8	14	1	..	177	8.4	28	
Warrangal . . . . .	160	31	10.1	..	..	..	4	..	..	..	..	10	3.3	..	
Nizamsbad . . . . .	70	9	6.7	..	..	..	..	..	..	..	..	2	1.5	..	
Kothagudiam . . . . .	76	34	23.3	..	..	..	..	..	..	..	..	6	4.1	..	
Secunderabad . . . . .	188	127	35.1	..	..	..	1	3	7	..	..	44	12.2	10	
TOTAL . . . . .	3,281	2,095	33.2	..	6	..	99	47	75	8	706	12.0	137		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information, "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd November, 1957—*contd.*

Deaths from:—													
Town	Mid-year Popn. Est. B. (000)	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Andhra Pradesh			For w/e 5-10-57										
Adoni . . .	66	56	44.1	..	..	..	1	2	3	..	18	14.2	3
Anantpur . .	39	39	52.0	..	..	..	1	1	1	..	7	9.3	..
Anakapalli . .	47	17	18.8	..	..	..	3	2	1	..	16	17.7	1
Bhimavaram . .	37	29	40.8	..	..	..	1	1	..	..	8	11.2	2
Chirala . . .	45	26	30.0	..	..	..	..	..	..	..	8	9.2	..
Chittoor . . .	46	7	7.9	..	..	..	2	..	..	..	4	4.5	1
Cuddapah . .	44	13	15.7	..	..	..	1	..	..	..	3	3.5	..
Eluru . . .	102	34	17.3	..	..	..	4	1	3	..	30	15.3	3
Gudivada . .	37	..	..	..	..	..	1	..	..	..	4	5.6	..
Guntur . . .	153	117	39.8	..	..	..	5	..	1	..	38	12.9	10
Guntakal . .	39	15	20.0	..	..	..	1	..	..	..	10	13.3	..
Kakinda† . .	..	..	..	..	..	..	..	..	..	..	..	..	..
Kurnool . . .	70	58	43.1	..	..	..	1	2	..	..	22	16.3	7
Masulipatnam .	91	28	16.0	..	..	..	..	1	..	..	10	5.7	4
Nandyal . . .	38	22	30.1	..	..	..	..	1	..	..	7	9.6	1
Nellore . . .	98	91	48.3	..	..	..	4	2	3	1	37	19.6	8
Proddutur† .	..	..	..	..	..	..	..	..	..	..	..	..	..
Rajahmundry .	126	67	27.7	..	..	..	5	..	4	..	32	13.2	..
Tenali . . .	70	37	27.5	..	..	..	3	..	3	..	18	13.4	4
Vijayavada . .	210	97	24.0	..	..	..	8	3	6	..	50	12.4	17
Visakhapatam .	133	71	27.8	..	1	..	5	7	12	..	38	14.9	9
Vizianagaram .	77	30	20.3	..	..	..	5	3	1	..	25	16.9	4
Hyderabad . .	1,102	587	27.7	..	..	..	25	5	9	1	84	4.0	5
Warrangal . .	160	33	10.7	..	..	..	8	1	..	..	16	5.2	..
Nizamabad . .	70	11	8.2	..	..	..	2	..	..	..	5	3.7	..
Kothagudiam† .	..	..	..	..	..	..	..	..	..	..	..	..	..
Secunderabad .	188	130	36.0	..	..	..	5	2	6	..	35	9.7	12
TOTAL	3,088	1615	27.2	..	1	..	91	34	53	2	525	8.8	91
Bombay													
Ahmedabad . .	915	826	46.9	..	..	..	8	4	71	..	248	14.1	77
Ahmednagar . .	90	88	50.8	..	..	..	2	1	5	..	27	15.6	..
Amalner . . .	51	46	46.9	..	..	..	6	..	1	..	9	9.2	2
Baroda . . .	250	261	54.3	..	..	..	31	..	13	..	66	13.7	9
Barli . . .	47	55	60.9	..	..	..	3	1	..	..	12	13.3	2
Bhusawal . . .	65	70	56.0	..	..	..	14	..	..	..	20	16.0	1
Broach . . .	68	80	61.2	..	..	..	8	..	7	..	27	20.6	..
Cambay . . .	42	44	54.5	..	..	..	..	1	1	..	15	18.6	1
Chalisgaon . .	36	11	15.9	..	..	..	6	..	1	..	10	14.4	2
Dhulia . . .	92	55	31.1	..	..	..	5	..	5	..	19	10.7	3
Godhra . . .	41	57	72.3	..	..	..	1	..	3	..	8	10.1	1
Greater Bombay .	3,590	1,984	28.7	..	5	..	2	40	126	7	752	10.9	173
Jalgaon . . .	82	34	21.6	..	..	..	7	1	3	..	17	10.8	2
Kalyan . . .	76	43	29.4	..	..	..	..	..	5	..	10	6.8	3
Kolhapur . . .	164	115	36.5	1	..	..	5	3	11	..	53	16.8	11
Malegaon† . .	..	..	..	..	..	..	..	..	..	..	..	..	..
Miraj . . .	45	12	13.9	..	..	..	..	1	1	..	9	10.4	1
Nadiad . . .	73	45	32.1	..	..	..	9	1	..	..	18	12.8	4
Nandurbar . .	36	24	34.7	..	..	..	1	..	3	..	14	20.2	3
Nasik . . .	124	98	41.1	..	..	..	1	3	3	..	19	8.0	5
Navasari . . .	51	55	56.1	..	..	..	..	..	..	..	10	10.2	5

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); =Nil information; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd November, 1957—*contd.*

		Deaths from:—														
Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.			
Bombay—contd.																
Pandharpur . . .	45	47	54.3	..	..	..	2	2	3	..	17	19.6	5			
Patan . . .	48	39	42.2	..	..	..	1	..	5	..	17	18.4	4			
Poona†																
Sangli . . .	60	30	26.0	..	..	..	1	1	3	..	9	7.8				
Satara . . .	41	27	34.2	..	1	..	4	2	1	..	19	24.1	3			
Sholapur . . .	308	259	43.7	..	..	..	29	23	75	..	236	39.8	47			
Surat . . .	257	259	52.4	..	..	..	8	5	19	..	88	17.8	2			
Thana . . .	64	24	19.5	..	..	..	2	..	..	1	16	13.0	2			
Bhavnagar . . .	158	92	30.3	..	..	..	14	3	17	..	62	20.4	14			
Dhoraji . . .	48	28	30.3	..	..	..	4	..	2	..	11	11.9	1			
Gondal†																
Jamnagar . . .	126	9	3.7	..	..	..	6	..	4	..	19	7.8	3			
Junagadh . . .	66	30	23.6	..	..	..	13	1	2	..	26	20.5	1			
Morir . . .	43	13	15.7	..	..	..	..	..	..	..	2	2.4	..			
Porbander . . .	66	37	29.2	..	..	..	6	7	..	1	23	18.1	4			
Rajkot . . .	175	112	33.3	..	1	..	16	4	12	1	50	14.9	12			
Veraval . . .	47	13	14.4	..	..	..	..	1	1	..	9	9.9	..			
Surendranagar . . .	44	17	20.1	..	..	..	..	1	..	..	1	1.2	..			
Nagpur . . .	546	403	38.4	15	1	..	69	29	32	5	365	34.8	85			
Achalpur . . .	39	23	30.7	..	..	..	2	1	..	..	4	5.3	2			
Akola . . .	108	68	32.7	..	..	..	13	3	2	..	35	16.9	4			
Amravati . . .	104	151	75.5	..	..	..	8	5	3	..	20	10.0	5			
Chanda . . .	44	43	50.8	..	..	..	2	3	..	..	8	9.5	1			
Gondia . . .	47	46	50.9	..	..	..	3	..	..	..	7	7.7	2			
Hinganghat . . .	36	30	43.3	..	..	..	13	2	..	..	15	21.7	4			
Khamgaon . . .	44	24	28.4	..	..	..	3	..	..	..	7	8.3	1			
Waroha . . .	47	22	24.3	..	..	..	..	1	2	..	4	4.4	..			
Ycetmal . . .	42	24	29.7	..	..	..	3	1	4	..	19	23.5	..			
Kamptee . . .	37	43	60.4	..	..	..	3	1	6	..	18	25.3	2			
Aurangabad . . .	76	16	10.9	..	..	..	..	..	1	1	5	3.4	..			
Lathur . . .	42	18	22.3	1	..	..	..	1	..	..	4	4.9	..			
Nanded . . .	84	36	22.3	..	..	..	3	..	1	..	7	4.3	..			
Parbhani . . .	41	4	5.1	..	..	..	2	..	2	..	4	5.1	..			
Jalna†																
TOTAL .	2,871	5,990	35.1	17	8	..	339	153	456	16	2,490	14.6	535			

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R." Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 2nd November, 1957 relate to 101 towns with an estimated population of 11,607 thousands. Information about Andhra Pradesh, Assam, Bombay Delhi, Madhya Pradesh, Rajasthan Uttar Pradesh and W.Bengal could not be included. The total number of towns is 319 and their population is 42,930 thousands. Thus 32% of the total number of towns representing 27% of the total popu-

lation is covered in this statement. The number of births and deaths recorded in these towns were 8,279 and 2,954 representing birth and death rates of 36.8 and 13.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by States:—

States	Current w/c 2-11-1957		Corresponding w/c last year	
	B.R.	D. R.	B. R.	D.R.
Bihar . . .	16.3	5.5	22.1	7.5
Kerala . . .	26.6	10.8	21.4	7.6
Madras . . .	47.0	16.7	30.5	15.9
Mysore . . .	21.3	11.9	17.8	7.1
Orissa . . .	41.6	20.9	43.4	21.7
Pondicherry . .	57.3	12.8	57.8	19.9
Punjab . . .	50.6	11.7	34.8	8.4
India . . .	36.8	13.1	27.4	11.7

NEW DELHI-2 (INDIA) ;  
The 25th November, 1957. }

H. R. SHARMA,  
for Registrar General, India.